

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

HXBL469C (TOPICAL) // PRODUCED: FEB 20, 2024

CLIENT: HYPERION // BATCH: PASSED



MATRIX: TOPICAL ¹
SAMPLE ID: NAL-240220-001
COLLECTED ON: FEB 20, 2024
RECEIVED ON: FEB 20, 2024
SAMPLE SIZE: 112 G ¹
SAMPLED BY: ERIC LANGILLE
RECEIVED BY: TORI DANIS
PACKAGE SIZE: 113.3980925 G ¹

¹ ENTERED BY CLIENT

CANNABINOID OVERVIEW

CBD:	0.250 %
CBC:	0.00 %
TOTAL CANNABINOIDS:	0.250 %

CULTIVATOR INFO

CULTIVATOR
 JAMIE CRUMB
 244 SANFORD RD
 ALFRED, MAINE 04002
 (43.4685647, -70.7420987)

LICENSE
 CGR26255
 MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

POTENCY PASS

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: FEB 20, 2024 // ANALYSIS: FEB 20, 2024

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBC		ND	ND	0.00621/0.0124	N/A
CBCA		ND	ND	0.00621/0.0124	N/A
CBD	0.250 %	2.50 mg/g		0.00621/0.0124	N/A
CBDA		ND	ND	0.00621/0.0124	N/A
 CBDV		ND	ND	0.00621/0.0124	N/A
 CBDVA		ND	ND	0.00621/0.0124	N/A
 CBG		ND	ND	0.00621/0.0124	N/A
 CBGA		ND	ND	0.00621/0.0124	N/A
 CBL		ND	ND	0.0124/0.0124	N/A
 CBLA		ND	ND	0.00621/0.0124	N/A
 CBN		ND	ND	0.00621/0.0124	N/A
 CBNA		ND	ND	0.00621/0.0124	N/A
 Δ⁸-THC		ND	ND	0.0124/0.0124	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
 Δ⁸-THCA		ND	ND	0.0124/0.0124	N/A
 Δ⁹-THC		ND	ND	0.00621/0.0124	N/A
 Δ¹⁰-THC		ND	ND	0.00621/0.0124	N/A
 EXO-THC		ND	ND	0.0124/0.0124	N/A
 THCA		ND	ND	0.0124/0.0124	N/A
 THCV		ND	ND	0.00621/0.0124	N/A
 THCVVA		ND	ND	0.00621/0.0124	N/A
 TOTAL THC**		ND	ND		N/A
 TOTAL CBD**		0.250 %	2.50 mg/g		N/A
 CBD/PKG		283 mg			N/A
 Δ⁹-THC/PKG		ND			N/A
 TOTAL THC/PKG**		ND			N/A
 TOTAL CBD/PKG**		283 mg			N/A

** TOTAL CBD = (CBDA X 0.877) + CBD

** TOTAL THC = (THCA X 0.877) + THC

Reported on an as received basis

1000 µg/g = 1 mg/g



AUTHORIZED BY:
 ZACHARY SMITH
 LABORATORY MANAGER, NOVA
 ANALYTIC LABS
 FEB 20, 2024

<https://lims.tagleaf.com/coa/BikGSbtpp>

NOTES

ZACHARY SMITH
FEB 20, 2024

POTENCY & CANNABINOID PROFILE BY HPLC-UV
THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT

