ME LICENSE #: TF284

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

HEMPX NATURAL TINCTURE (TINCTURE) // PRODUCED: SEP 06, 2024

CLIENT: HYPERION // BATCH: PASSED



MATRIX: TINCTURE ¹
DENSITY: 0.951 g/ml ²
SAMPLE ID: NAL-240904-129
COLLECTED ON: SEP 04, 2024
RECEIVED ON: SEP 04, 2024
SAMPLE SIZE: 30 ML ¹
SAMPLED BY: ERIC LANGILLE
RECEIVED BY: CHRISTOPHER COLE

SERVING SIZE: 1 ML ¹
PACKAGE SIZE: 30 ML ¹

1 ENTERED BY CLIENT, 2 ENTERED BY LAB

30.3 mg/srv
0.761 mg/srv
31.1 mg/srv

CULTIVATOR INFO

CULTIVATOR

JAMIE CRUMB
244 SANFORD RD

ALFRED, MAINE 04002
(43.4685647, -70.7420987)

CGR26255

MEDICINAL - CAREGIVER

BATCH RESULT: PASSED POTENCY PASS

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: SEP 05, 2024 // ANALYSIS: SEP 05, 2024

ANALYTE	LIMIT AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL	ANALYTE	LIMIT AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBC	ND	ND	0.250/0.500	N/A	Δ ¹⁰ -THC	ND	ND	0.250/0.500	N/A
CBCA	ND	ND	0.250/0.500	N/A	EXO-THC	ND	ND	0.500/0.500	N/A
CBD	3.19 %	30.3 mg/ml	0.250/0.500	N/A	THCA	ND	ND	0.500/0.500	N/A
CBDA	ND	ND	0.250/0.500	N/A	THCV	ND	ND	0.250/0.500	N/A
CBDV	0.0800 %	0.761 mg/ml	0.250/0.500	N/A	THCVA	ND	ND	0.250/0.500	N/A
CBDVA	ND	ND	0.250/0.500	N/A	TOTAL THC**	ND	ND		N/A
CBG	ND	ND	0.250/0.500	N/A	TOTAL CBD**	3.19 %	30.3 mg/ml		N/A
CBGA	ND	ND	0.250/0.500	N/A	CBD/SRV	30.3 mg			N/A
CBL	ND	ND	0.500/0.500	N/A	Δ ⁹ -THC/SRV	ND			N/A
CBLA	ND	ND	0.250/0.500	N/A	TOTAL THC/SRV**	ND			N/A
CBN	ND	ND	0.250/0.500	N/A	TOTAL CBD/SRV**	30.3 mg			N/A
CBNA	ND	ND	0.250/0.500	N/A	CBD/PKG	910 mg			N/A
Δ8-THC	ND	ND	0.500/0.500	N/A	Δ ⁹ -THC/PKG	ND			N/A
Δ ⁸ -THCA	ND	ND	0.500/0.500	N/A	TOTAL THC/PKG**	ND			N/A
Δ ⁹ -ΤΗC	ND	ND	0.250/0.500	N/A	TOTAL CBD/PKG**	910 mg			N/A

** TOTAL CBD = (CBDA X 0.877) + CBD ** TOTAL THC = (THCA X 0.877) + THC

Reported on an as received basis

 $1000 \, \mu g/g = 1 \, mg/g$



AUTHORIZED BY: ZACHARY SMITH LABORATORY MANAGER, NOVA ANALYTIC LABS SEP 06, 2024



ZACHARY SMITH SEP 06, 2024 POTENCY & CANNABINOID PROFILE BY HPLC-UV

THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGISTER OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTEL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT



