

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

HEMPX ROLL-ON (TOPICAL) // PRODUCED: SEP 06, 2024

CLIENT: HYPERION // BATCH: PASSED



MATRIX: TOPICAL ¹
SAMPLE ID: NAL-240904-134
COLLECTED ON: SEP 04, 2024
RECEIVED ON: SEP 04, 2024
SAMPLE SIZE: 88.7 ML ¹
SAMPLED BY: ERIC LANGILLE
RECEIVED BY: CHRISTOPHER COLE
PACKAGE SIZE: 85.048569375 G ¹

¹ ENTERED BY CLIENT

CANNABINOID OVERVIEW

CBD:	2.28 %
CBG:	0.0952 %
TOTAL CANNABINOIDS:	2.48 %

CULTIVATOR INFO

CULTIVATOR
JAMIE CRUMB
244 SANFORD RD
ALFRED, MAINE 04002
(43.4685647, -70.7420987)

LICENSE
CGR26255
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

POTENCY PASS

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: SEP 05, 2024 // ANALYSIS: SEP 05, 2024

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL	ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBC		ND	ND	0.00608/0.0122	N/A	Δ ⁸ -THCA		ND	ND	0.0122/0.0122	N/A
CBCA		ND	ND	0.00608/0.0122	N/A	Δ ⁹ -THC		ND	ND	0.00608/0.0122	N/A
CBD	2.28 %	22.8 mg/g	22.8 mg/g	0.00608/0.0122	N/A	Δ ¹⁰ -THC		ND	ND	0.00608/0.0122	N/A
CBDA	< LOQ	< LOQ	< LOQ	0.00608/0.0122	N/A	EXO-THC		ND	ND	0.0122/0.0122	N/A
CBDV	ND	ND	ND	0.00608/0.0122	N/A	THCA		ND	ND	0.0122/0.0122	N/A
CBDVA	ND	ND	ND	0.00608/0.0122	N/A	THCV		ND	ND	0.00608/0.0122	N/A
CBG	0.0952 %	0.952 mg/g	0.952 mg/g	0.00608/0.0122	N/A	THCVA	0.0844 %	0.844 mg/g	0.844 mg/g	0.00608/0.0122	N/A
CBGA	0.0220 %	0.220 mg/g	0.220 mg/g	0.00608/0.0122	N/A	TOTAL THC**		ND	ND		N/A
CBL	ND	ND	ND	0.0122/0.0122	N/A	TOTAL CBD**		2.28 %	22.8 mg/g		N/A
CBLA	ND	ND	ND	0.00608/0.0122	N/A	CBD/PKG		1940 mg			N/A
CBN	ND	ND	ND	0.00608/0.0122	N/A	Δ ⁹ -THC/PKG		ND			N/A
CBNA	ND	ND	ND	0.00608/0.0122	N/A	TOTAL THC/PKG**		ND			N/A
Δ ⁸ -THC	ND	ND	ND	0.0122/0.0122	N/A	TOTAL CBD/PKG**		1940 mg			N/A

** TOTAL CBD = (CBDA X 0.877) + CBD

** TOTAL THC = (THCA X 0.877) + THC

Reported on an as received basis

1000 µg/g = 1 mg/g



AUTHORIZED BY:
ZACHARY SMITH
LABORATORY MANAGER, NOVA
ANALYTIC LABS
SEP 06, 2024

https://lims.tagleaf.com/coa_/PxUn8JJSYC

NOTES

ZACHARY SMITH
SEP 06, 2024

POTENCY & CANNABINOID PROFILE BY HPLC-UV
THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT

