


CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

SC518C (OTHER) // PRODUCED: DEC 27, 2024

CLIENT: BLOSSOM MED // BATCH: PASS



MATRIX: OTHER ¹
SAMPLE ID: NAL-241220-018
COLLECTED ON: DEC 20, 2024
RECEIVED ON: DEC 20, 2024
BATCH SIZE: 30 UNITS ¹
SAMPLE SIZE: 30 UNITS ¹
SAMPLED BY: SCOTT WEENE
RECEIVED BY: ZOE COLWELL
SERVING SIZE: 0.5479 G ²
PACKAGE SIZE: 16.437 G ²

CANNABINOID OVERVIEW

CBN: 33.3 mg/srv
CBG: 26.9 mg/srv
TOTAL CANNABINOIDS: 60.2 mg/srv

¹ ENTERED BY CLIENT, ² ENTERED BY LAB

BATCH RESULT: PASS

POTENCY TESTED

CAN. 1: POTENCY & CANNABINOID PROFILE BY HPLC-UV
PREPARATION: DEC 23, 2024 // ANALYSIS: DEC 26, 2024

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBC		ND	ND	0.0456/0.0913	N/A
CBCA		ND	ND	0.0456/0.0913	N/A
CBD		ND	ND	0.0456/0.0913	N/A
CBDA		ND	ND	0.0456/0.0913	N/A
CBDV		ND	ND	0.0456/0.0913	N/A
CBDVA		ND	ND	0.0456/0.0913	N/A
CBG	4.91 %	49.1 mg/g		0.0456/0.0913	N/A
CBGA		ND	ND	0.0456/0.0913	N/A
CBL		ND	ND	0.0913/0.0913	N/A
CBLA		ND	ND	0.0456/0.0913	N/A
CBN	6.08 %	60.8 mg/g		0.0456/0.0913	N/A
CBNA		ND	ND	0.0456/0.0913	N/A
Δ ⁸ -THC		ND	ND	0.0913/0.0913	N/A
Δ ⁸ -THCA		ND	ND	0.0913/0.0913	N/A
Δ ⁹ -THC		ND	ND	0.0456/0.0913	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
Δ ¹⁰ -THC		ND	ND	0.0456/0.0913	N/A
EXO-THC		ND	ND	0.0913/0.0913	N/A
THCA		ND	ND	0.0913/0.0913	N/A
THCV		ND	ND	0.0456/0.0913	N/A
THCVa		ND	ND	0.0456/0.0913	N/A
TOTAL THC**		ND	ND		N/A
TOTAL CBD**		ND	ND		N/A
CBD/SRV		ND			N/A
Δ ⁹ -THC/SRV		ND			N/A
TOTAL THC/SRV**		ND			N/A
TOTAL CBD/SRV**		ND			N/A
CBD/PKG		ND			N/A
Δ ⁹ -THC/PKG		ND			N/A
TOTAL THC/PKG**		ND			N/A
TOTAL CBD/PKG**		ND			N/A

** TOTAL THC = (THCA X 0.877) + DELTA-9-THC

** TOTAL CBD = (CBDA X 0.877) + CBD

Reported on an as received basis

1000 µg/g = 1 mg/g



AUTHORIZED BY:
 DEVIN DUTRISAC
 SCIENTIST II, NOVA ANALYTIC LABS
 DEC 27, 2024

NOTES

DEVIN DUTRISAC
DEC 27, 2024

POTENCY & CANNABINOID PROFILE BY HPLC-UV
THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT

